

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
27 December 2001 (27.12.2001)

PCT

(10) International Publication Number  
**WO 01/99421 A1**

(51) International Patent Classification<sup>7</sup>: **H04N 7/14**,  
7/173, 7/025

(21) International Application Number: PCT/EP01/07098

(22) International Filing Date: 22 June 2001 (22.06.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
100 30 758.2 23 June 2000 (23.06.2000) DE

(71) Applicant (for all designated States except US): **NOKIA  
MOBILE PHONES LTD.** [FI/FI]; Keilalahdentie 4, FIN-  
02150 Espoo (FI).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **THEIMER, Wolfgang**  
[DE/DE]; Am Hohwege 10, 44879 Bochum (DE).

(74) Agent: **URNER, Peter**; Ter Meer, Steinmeister & Partner  
GbR, Mauerkircherstrasse 45, 81679 München (DE).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR ACCESSING INFORMATION



(57) Abstract: The invention relates to a method for accessing information, especially for accessing additional information to information which is audibly and/or visually presented to a user, in which the information presented to the user comprises individual information sections to which additional information is allocated, and in which the additional information can be transmitted via a transmission channel during the presentation of the information so that it can be provided for later use on request.



WO 01/99421 A1

- 1 -

**Method for accessing information**

The invention relates to a method for accessing information, especially for accessing additional  
5 information to information which is presented audibly and/or visually to a user.

During the presentation of information, for example in radio or television broadcasts, background information on current subjects is frequently only  
10 mentioned briefly. For pieces of music, for example, often only the precise title or the disc or CD on which this piece of music can be found is briefly mentioned. In interviews or reports, too, corresponding background or secondary information such as publications of the  
15 interviewee, books or lecture dates and the like are frequently mentioned only once briefly. Even if the listener or viewer of a radio or TV broadcast notes down immediately such information which is of interest to him, errors may occur which, at the least, make it  
20 difficult to find the desired piece of music, book or lecture event or the like. However, a user is frequently not able to make notes immediately which increases the probability of errors and makes it considerably more difficult to find the desired  
25 information.

It is true that, in the case of radio or television broadcasts, it is then possible to call up the corresponding radio or broadcast station and ask them for the desired information if the listener or  
30 viewer has remembered the title and time of the broadcast. However, this is extremely laborious and time consuming.

To provide a remedy in this case, a method for accessing information is described in US 5 907 322,  
35 which enables a television viewer to obtain the reference source notes, Internet addresses, telephone numbers and the like given during television broadcasts, especially during commercials. For this purpose, the television viewer inputs a reminder

- 2 -

instruction by means of the remote control during the transmission of the television event to be remembered, in order to generate a "bookmark" and store it in an activity table. Each recorded bookmark in the activity  
5 table includes date, clock time and channel of the transmitter. The recorded bookmarks are then transmitted via the Internet to a service provider where the corresponding information such as reference addresses, Internet addresses, telephone numbers and  
10 the like are picked out from a corresponding database for each of the bookmarks and are transmitted to the television viewer via the Internet.

The invention is based on the object of providing a further method for accessing information  
15 which, in particular, enables a user to access in a simple manner and without great effort, additional information to information which is presented audibly and/or visually.

This object is achieved by the method according  
20 to Claim 1. Advantageous further developments and embodiments of the invention are described in the subclaims.

Thus, according to the invention, it is provided that the information presented to the user  
25 comprises individual information sections to which additional information is allocated, and that the additional information can be transmitted via a transmission channel during the presentation of the information so that it can be provided for later use on  
30 request. It is particularly appropriate if the additional information is transmitted on a transmission channel which is physically separate from the presentation of the information.

Thus, the method according to the invention  
35 enables a user to obtain the desired additional information with the aid of a simple request even during the presentation of the information, that is to say when he is listening to a radio broadcast or is viewing a television broadcast, so that the user can

- 3 -

make further use of the additional information after the presentation of the information has ended, that is to say after the radio or television broadcast has ended.

5           In this context, the content of the additional information can be very simple or also very complex.

          It can consist, for example, of one or more information terms such as, for example, a name, a telephone or fax number, a street address, an Internet  
10 address, an E-mail address, a GPS (Global Positioning System) position (e.g. for a meeting place), a time (e.g. for an event) or the like. The format of the additional information can also vary greatly depending on the system used. For example, it is possible to  
15 standardize and transmit the additional information as data record according to the "contact card" standard used by Nokia in the Nokia Communicator. However, other standardized data formats such as those used in Internet browsers can also be used. In the simplest  
20 case, an ASCII code can be used for the content of the additional information.

          In an advantageous embodiment of the invention, it is provided that the information is presented continuously as an information stream, that the  
25 additional information is transmitted at the same time as the information stream and that, on request, additional information allocated to an information section of the information stream is stored at the receiver end so that it can be accessed at a later  
30 time. This makes it possible to implement the method according to the invention in a particularly simple manner since the storing of the additional information following the user request is performed completely at the receiver end. Thus, it is not required that a  
35 request for transmitting the additional information must first be made to an information provider.

          In another advantageous further development of the information, it is provided that the information is transmitted as radio broadcast whilst the additional

- 4 -

information is transmitted via a data channel used as transmission channel in such a manner that, on request, the additional information allocated to the information or program section currently being transmitted can be  
5 stored at the receiver end for later use in each case, the additional information allocated to a program section being transmitted at the beginning of the program section and temporarily stored at the receiver end, additional information previously temporarily  
10 stored being deleted, and the temporarily stored additional information being stored for later use on request.

The information provider, that is to say, for example, the radio or television transmitter, thus  
15 presents a broadcast which can be visually and/or audibly perceived by a user. In parallel with the broadcast, a second data stream of preferably computer-readable additional information is transmitted which supplements the program information. The additional  
20 information is transmitted, correlated in time with the broadcast information, to the user where the additional information is temporarily stored in the radio or television set or in a suitable add-on device. In each case, the additional information is valid for as long  
25 as the associated program section is being transmitted. During the validity of the additional information, that is to say when the additional information is temporarily stored, it can be stored following a request signal from the user so that it is available  
30 for further use independently of the progress of the radio or television broadcast.

In another embodiment of the invention, it is provided that, together with a request for additional information to an information section currently being  
35 presented, data identifying this information section are transmitted to an additional-information provider and, following the request, additional information allocated to the identified information section is

- 5 -

transmitted to the requester stored and is there at the receiver end so that it can be accessed at any time.

In this case, another operating mode is used for accessing additional information since the  
5 additional information is supplied by the information provider. This procedure has the advantage that the transmission channel for the additional information does not need to be set up during the entire broadcast.

To simplify access to additional information  
10 further, it is provided in an advantageous embodiment of the invention that the information is continuously presented as information stream, especially as radio broadcast, and the data identifying the information section comprise an information stream identifier,  
15 especially a transmitter identifier and the time of the request, the time of the request, in particular, being determined at the provider end.

When additional information is requested, it can be additionally provided that the data identifying  
20 the information section comprise a position identifier which designates the location of the user.

This makes it possible, in the case of additional information on a particular broadcast which  
contains information relevant to different regions, for  
25 this information relevant to a region to be filtered in accordance with the position identifier. If, for example, reference is made to a tour of an artist in a broadcast, it is possible to announce to a user requesting additional information associated with this  
30 announcement, in dependence on his location, only the dates and places of the artist's appearance which are located in the vicinity of his location.

The spontaneous request for additional information is of interest not only in connection with  
35 radio and television broadcasts but also if a travelling user needs information about his current whereabouts. Correspondingly, it is provided in an advantageous embodiment of the invention that the information presented takes the form of objects seen by

- 6 -

a user which he perceives in a particular region and the data identifying the objects as information sections comprise a region identifier and a position identifier designating the location of the user, the  
5 data identifying the objects as information sections comprising the time of the request, the time of the request, in particular, being determined at the provider end. This enables the user to leaf through a type of electronic guidebook which in each case  
10 provides the precise information of interest at the respective location of the user.

Thus, for example, a user can have transmitted information on historic buildings and places, opening times of museums and restaurants.

15 This method can be handled in a particularly simple manner if the position identifier is generated by means of a GPS (Global Positioning System) module.

In a particularly appropriate embodiment of the invention, it is provided that a radio data channel,  
20 especially a data channel according to the GPRS (General Packet Radio Service) standard in a GSM radio network is used as transmission channel for additional information.

In the text which follows, the invention will  
25 be explained in greater detail by way of example with reference to the drawing, in which:

Figure 1 shows a simplified diagrammatic representation of an information transmission system for carrying out the method according to the invention,

30 Figure 2 shows a simplified diagrammatic representation of another information transmission system for carrying out the method according to the invention, and

Figure 3 shows various timing diagrams for  
35 illustrating the allocation of the additional information to the contents of sections of a radio broadcast which is used as example for the information to be presented.

- 7 -

In the various figures of the drawing, mutually corresponding elements are provided with the same reference designations.

The information transmission system shown  
5 diagrammatically in Figure 1 comprises a RF (radio-frequency) transmitter 10 of an information provider 11 via which information, for example radio or television broadcasts, are transmitted. In addition, a second  
10 transmitter 12 operating at radio frequencies is provided via which additional information to the radio or television broadcasts is transmitted.

At the receiving end, a receiver arrangement 13 is provided which comprises a first receiver 14, only indicated as an antenna, for broadcast information,  
15 that is to say for radio or television broadcasts, and a transceiver arrangement 15 which has a transceiver antenna 16 and a radio-frequency section 17.

When the information provider 11, during the transmission of a radio or television broadcast via a  
20 radio channel 18, transmits additional information associated with the transmitted program on a data channel 19 via the second transmitter 12, the radio or television program is received and reproduced in the receiver arrangement 13 at the user end whilst the  
25 additional information is transmitted by the radio-frequency stage into a buffer store 20 where it is stored. The additional information which is preferably transmitted as data packets on the data channel is in each case stored in the buffer for as long as the  
30 additional information transmitted is related to an information section or a program section.

If a user wants to access the additional information, he inputs, for example by pressing a key or by a voice instruction, a corresponding control  
35 instruction which causes a control unit 21 to read out the additional information stored in the buffer store 20 and to transmit it into a memory 22 in which the additional information is kept available for later use.



- 8 -

As shown in Figure 3, for example, a radio transmission which is here considered as an information stream has various sections such as, for example, an interview I, a piece of music M1, advertising W, news N, another piece of music M2 etc. which are considered as information sections which, in turn, can be subdivided into smaller information sections. For example, it is assumed here that the interview I is composed of three sections, each of which is associated with additional information. In the exemplary embodiment shown here, as shown in the bottom diagram of Figure 3, an additional-information unit is associated with the first section I1 whereas two additional-information units, that is to say, for example, two data records, representing the additional information, of a predetermined data record format, are associated with the second interview section I2. In this arrangement, the additional information remains temporarily stored until a new additional information item has been transmitted via the data channel 19 which overwrites the previous additional information in the buffer store 20 or until it is deleted, due to there no longer existing a connection with a broadcast, e.g. following a corresponding deletion signal or due to an elapsed validity period.

The new or more recent additional information is suitably transmitted in such a manner that the previous additional information is deleted as soon as its correlation with a program section is lost. The additional information associated with the first piece of music M1 is thus retained during the period of the piece of music. In the subsequent advertising section, to which the music title is no longer related, the corresponding data record is also no longer available as additional information. To implement this, a timing information can be attached together with the data record representing the additional information, which indicates when the data record is to be deleted. However, it is also possible to transmit with each new

- 9 -

program section, this can be each new commercial in the case of advertising or each new report or each new headline in the case of news, additional information which, if no special additional information is  
5 provided, only indicates that the additional information previously temporarily stored must be deleted.

In particular, it is necessary to delete additional information which is no longer current since  
10 a listener would otherwise be unnecessarily irritated.

If, for example, a user switches on his radio set, which is used as receiver arrangement 13, only during the second piece of music M2 and requests additional information allocated to this piece of  
15 music, he would presumably be annoyed if he received, instead of the desired music title, intermediate information which was allocated to a report or event notice during the preceding news broadcast.

Apart from this first operating mode of the  
20 method according to the invention in which, in parallel with the data stream provided for the audible or audio/visual reproduction, computer-readable additional information is transmitted to the receiver arrangement  
13 of a user, in which the individual information  
25 sections or data records of the additional information are in each case stored for as long as there is correlation to the radio program, it is provided, in another operating mode of the invention, that the additional information is only transmitted to the user  
30 on request.

The information transmission system for this comprises a transceiver arrangement 12' of an information provider 11, in which a list of the respective additional information is stored together  
35 with correlation data which correlate the respective additional information with the main information offered to a user. At the receiver end, a transceiver arrangement is provided which, for example, is represented as a mobile telephone by means of which the

- 10 -

additional information can be called up from the information provider 11.

For the radio broadcast indicated diagrammatically in Figure 3, the various additional-  
5 information sections shown in the last line of Figure 3 are correlated with the start and end times of the individual program sections illustrated in the centre line.

If a listener, using the mobile telephone 23,  
10 requests desired additional information via a data channel 19, an information content designating the program currently being heard is transmitted together with the request. In addition, the data record representing the request can also contain a timing  
15 information which is required for the unambiguous identification of the desired additional information. However, it is also possible that the timing information is simply determined from the time of reception at the information provider 11. Knowing the  
20 time of the request and of the transmitted program enables the desired additional information to be unambiguously identified, which is then transmitted back to the requesting user via the data channel 19.

This procedure can applied not only to radio  
25 broadcasts but it is conceivable that, for example, in a movie theatre, information related to the individual commercials during the initial advertising, for example restaurant addresses, telephone numbers or the like, is provided to the public which can then call up this  
30 information with a suitable transceiver arrangement.

However, the correlation of the additional information with an information item presented to a user does not necessarily need to consist of a transmitting or presentation time but can also consist  
35 of a presentation location if the information presented to a user is sights or other items of interest such as, for example, hotels or restaurants of a city for which there is an electronic guidebook available.

- 11 -

In this case, for example, a user, using a suitable transceiver arrangement, for example a mobile telephone 23, sends a location information item to the information provider 11 which thereupon transmits back  
5 the additional information existing for this location. In this arrangement, the location of the user can also be determined by a GPS (Global Positioning System) module and added to the data packet representing the request.

10 The additional information can be transmitted in accordance with various standards as long as they are suitable for the data transmission. In a GSM radio network, it is appropriate for the data channels to be operated in accordance with the GPRS standard.

15 The present invention thus provides that an information or data stream presented to a user is completed with computer-readable additional information which in each case only has validity for a short period of time. The individual information is only available  
20 for as long as the user hears or sees the associated information. If the user wants additional information, he can then access the additional information with the aid of a corresponding request instruction and store it for later use. After the presentation of the data or  
25 information has ended, that is to say after the radio or television broadcast has ended, or immediately, the user can access the stored additional information for further use in the same device or in another device such as, for example, a PC or a telephone.

- 12 -

### Patent claims

1. Method for accessing information, especially  
for accessing additional information to information  
5 which is audibly and/or optically presented to a user,  
in which
  - the information presented to the user comprises  
individual information sections to which additional  
information is allocated, and
  - 10 - the additional information can be transmitted via  
a transmission channel during the presentation of the  
information so that it can be provided for later use on  
request.
2. Method according to Claim 1, characterized in  
15 that the additional information is transmitted on a  
transmission channel which is physically separate from  
the presentation of the information.
3. Method according to Claim 1 or 2, characterized  
in that
  - 20 - the information is presented continuously as an  
information stream, and
  - the additional information is transmitted at the  
same time as the information stream, and
  - on request, additional information allocated to an  
25 information section of the information stream is stored  
at the receiver end so that it can be accessed at a  
later time.
4. Method according to Claim 1, 2 or 3,  
characterized in that the information is transmitted as  
30 radio broadcast whilst the additional information is  
transmitted via a data channel used as transmission  
channel in such a manner that, on request, the  
additional information allocated to the information or  
program section currently being transmitted can be  
35 stored at the receiver end for later use in each case.
5. Method according to Claim 4, characterized in  
that the additional information allocated to a program  
section is transmitted at the beginning of the program  
section and is temporarily stored at the receiver end,

- 13 -

additional information previously temporarily stored being deleted, and in that the temporarily stored additional information is stored for later use on request.

5 6. Method according to Claim 1 or 2, characterized in that

- together with a request for additional information to an information section currently being presented, data identifying this information section are  
10 transmitted to an additional-information provider, and  
- following the request, additional information allocated to the identified information section is transmitted to the requester and is stored there at the receiver end so that it can accessed at any time.

15 7. Method according to Claim 6, characterized in that

- the information is continuously presented as information stream, especially as radio broadcast, and  
- the data identifying the information section  
20 comprise an information stream identifier, especially a transmitter identifier and the time of the request, the time of the request, in particular, being determined at the provider end.

8. Method according to Claim 7, characterized in  
25 that the data identifying the information section comprise a position identifier which designates the location of the user.

9. Method according to Claim 6, characterized in that




30 - the information presented is objects seen by a user which he perceives in a particular region, and  
- the data identifying the objects as information sections comprise a region identifier and a position identifier designating the location of the user.

35 10. Method according to Claim 9, characterized in that the data identifying the objects as information sections comprise the time of the request, the time of the request, in particular, being determined at the provider end.

- 14 -

11. Method according to Claim 8, 9 or 10, characterized in that the position identifier is generated by means of a GPS (Global Positioning System) module.

5 12. Method according to one of the preceding claims, characterized in that a radio data channel, especially a data channel according to the GPRS (General Packet Radio Service) standard in a GSM radio network is used as transmission channel for additional  
10 information.





# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/07098

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04N7/14 H04N7/173 H04N7/025

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N H04L H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 17064 A (WESTBERG THOMAS E ;KWOH DANIEL S (US); LEUNG ELSIE Y (US); MANKOVI) 23 April 1998 (1998-04-23) page 3, line 27 -page 11, line 23 page 13, line 35 -page 14, line 20; figures 1,7,9 ---	1-6,12
X	US 5 961 603 A (AUGENBRAUN JOSEPH E ET AL) 5 October 1999 (1999-10-05) column 5, line 7 -column 10, line 61 column 12, line 63 -column 13, line 65 ---	1,6,7
X	EP 0 991 213 A (SONY CORP) 5 April 2000 (2000-04-05) column 8, line 16 -column 14, line 39 column 17, line 32 -column 17, line 45 --- -/--	1-4,6

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&\* document member of the same patent family

Date of the actual completion of the international search

14 November 2001

Date of mailing of the international search report

23/11/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Guettlich, J

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 01/07098

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 99 66719 A (WEBTV NETWORKS INC) 23 December 1999 (1999-12-23) page 5, line 16 -page 7, line 11 page 23, line 20 -page 24, line 12	1-4
A	US 5 999 216 A (KAARS PETER B) 7 December 1999 (1999-12-07) abstract	1,2

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/07098

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9817064	A	23-04-1998	AU 726960 B2 AU 4823197 A BR 9712352 A CN 1251723 A EP 0932979 A1 WO 9817064 A1	30-11-2000 11-05-1998 31-08-1999 26-04-2000 04-08-1999 23-04-1998
US 5961603	A	05-10-1999	US 5999970 A AU 9473998 A CN 1282429 T EP 1019828 A1 JP 2001517877 T NO 20001392 A WO 9915968 A1 AU 712079 B2 AU 2724497 A BR 9708551 A CA 2251085 A1 EP 0893026 A1 JP 2000508493 T NO 984723 A WO 9738529 A1	07-12-1999 12-04-1999 31-01-2001 19-07-2000 09-10-2001 18-05-2000 01-04-1999 28-10-1999 29-10-1997 04-01-2000 16-10-1997 27-01-1999 04-07-2000 09-12-1998 16-10-1997
EP 0991213	A	05-04-2000	JP 2000115093 A EP 0991213 A2	21-04-2000 05-04-2000
WO 9966719	A	23-12-1999	AU 4681999 A EP 1118213 A1 WO 9966719 A1	05-01-2000 25-07-2001 23-12-1999
US 5999216	A	07-12-1999	AU 720959 B2 AU 4634897 A BR 9707158 A CA 2243700 A1 CN 1213478 A EP 0878095 A2 WO 9823091 A2 JP 2000504527 T	15-06-2000 10-06-1998 06-04-1999 28-05-1998 07-04-1999 18-11-1998 28-05-1998 11-04-2000